



Loses Schüttgewicht: 1,00 bis 1,04 kg/l

Schieber- stellung																
		10			12			15			16			18		
		km/h			km/h			km/h			km/h			km/h		
I	II	8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
4		185	148	123	154	123	103	123	98	82	115	92	77	103	82	68
6		277	221	185	231	185	154	185	148	123	173	138	115	154	123	103
8		369	295	246	308	246	205	246	197	164	231	185	154	205	164	137
10		461	369	308	384	308	256	308	246	205	288	231	192	256	205	171
12		554	443	369	461	369	308	369	295	246	346	277	231	308	246	205
14		646	517	431	538	431	359	431	344	287	404	323	269	359	287	239
16		738	591	492	615	492	410	492	394	328	461	369	308	410	328	273
18		830	664	554	692	554	461	554	443	369	519	415	346	461	369	308
20	10	923	738	615	769	615	513	615	492	410	577	461	384	513	410	342
22	11	1015	812	677	846	677	564	677	541	451	634	507	423	564	451	376
24	12	1107	886	738	923	738	615	738	591	492	692	554	461	615	492	410
26	13	1199	960	800	1000	800	666	800	640	533	750	600	500	666	533	444
28	14	1292	1033	861	1076	861	718	861	689	574	807	646	538	718	574	478
30	15	1384	1107	923	1153	923	769	923	738	615	865	692	577	769	615	513
32	16	1476	1181	984	1230	984	820	984	787	656	923	738	615	820	656	547
34	17	1569	1255	1046	1307	1046	871	1046	837	697	980	784	654	871	697	581
36	18	1661	1329	1107	1384	1107	923	1107	886	738	1038	830	692	923	738	615
38	19	1753	1402	1169	1461	1169	974	1169	935	779	1096	877	730	974	779	649
40	20	1845	1476	1230	1538	1230	1025	1230	984	820	1153	923	769	1025	820	683
42	21	1938	1550	1292	1615	1292	1076	1292	1033	861	1211	969	807	1076	861	718
44	22	2030	1624	1353	1692	1353	1128	1353	1083	902	1269	1015	846	1128	902	752
46	23	2122	1698	1415	1768	1415	1179	1415	1132	943	1326	1061	884	1179	943	786
48	24	2214	1772	1476	1845	1476	1230	1476	1181	984	1384	1107	923	1230	984	820
50	25	2307	1845	1538	1922	1538	1281	1538	1230	1025	1442	1153	961	1281	1025	854
52	26	2399	1919	1599	1999	1599	1333	1599	1279	1066	1499	1199	1000	1333	1066	888
54	27	2491	1993	1661	2076	1661	1384	1661	1329	1107	1557	1246	1038	1384	1107	923
56	28	2583	2067	1722	2153	1722	1435	1722	1378	1148	1615	1292	1076	1435	1148	957
58	29	2676	2141	1784	2230	1784	1487	1784	1427	1189	1672	1338	1115	1487	1189	991
60	30	2768	2214	1845	2307	1845	1538	1845	1476	1230	1730	1384	1153	1538	1230	1025
62	31	2860	2288	1907	2384	1907	1589	1907	1525	1271	1788	1430	1192	1589	1271	1059

LS_104a.xls

Mit Bodenradantrieb gelten die Schieberstellungen bei 12 km/h


Loses Schüttgewicht: 1,00 bis 1,04 kg/l

Schieber- stellung																
		20			21			24			27			28		
		km/h			km/h			km/h			km/h			km/h		
I	II	8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
8		185	148	123	176	141	117	154	123	103	137	109	91	132	105	88
10		231	185	154	220	176	146	192	154	128	171	137	114	165	132	110
12		277	221	185	264	211	176	231	185	154	205	164	137	198	158	132
14		323	258	215	308	246	205	269	215	179	239	191	159	231	185	154
16		369	295	246	351	281	234	308	246	205	273	219	182	264	211	176
18		415	332	277	395	316	264	346	277	231	308	246	205	297	237	198
20	10	461	369	308	439	351	293	384	308	256	342	273	228	330	264	220
22	11	507	406	338	483	387	322	423	338	282	376	301	251	362	290	242
24	12	554	443	369	527	422	351	461	369	308	410	328	273	395	316	264
26	13	600	480	400	571	457	381	500	400	333	444	355	296	428	343	286
28	14	646	517	431	615	492	410	538	431	359	478	383	319	461	369	308
30	15	692	554	461	659	527	439	577	461	384	513	410	342	494	395	330
32	16	738	591	492	703	562	469	615	492	410	547	437	365	527	422	351
34	17	784	627	523	747	598	498	654	523	436	581	465	387	560	448	373
36	18	830	664	554	791	633	527	692	554	461	615	492	410	593	475	395
38	19	877	701	584	835	668	557	730	584	487	649	519	433	626	501	417
40	20	923	738	615	879	703	586	769	615	513	683	547	456	659	527	439
42	21	969	775	646	923	738	615	807	646	538	718	574	478	692	554	461
44	22	1015	812	677	967	773	644	846	677	564	752	601	501	725	580	483
46	23	1061	849	707	1011	808	674	884	707	589	786	629	524	758	606	505
48	24	1107	886	738	1054	844	703	923	738	615	820	656	547	791	633	527
50	25	1153	923	769	1098	879	732	961	769	641	854	683	570	824	659	549
52	26	1199	960	800	1142	914	762	1000	800	666	888	711	592	857	685	571
54	27	1246	996	830	1186	949	791	1038	830	692	923	738	615	890	712	593
56	28	1292	1033	861	1230	984	820	1076	861	718	957	765	638	923	738	615
58	29	1338	1070	892	1274	1019	849	1115	892	743	991	793	661	956	764	637
60	30	1384	1107	923	1318	1054	879	1153	923	769	1025	820	683	989	791	659
62	31	1430	1144	953	1362	1090	908	1192	953	795	1059	847	706	1022	817	681
64	32	1476	1181	984	1406	1125	937	1230	984	820	1094	875	729	1054	844	703
66	33	1522	1218	1015	1450	1160	967	1269	1015	846	1128	902	752	1087	870	725

LS_104b.xls

Mit Bodenradantrieb gelten die Schieberstellungen bei 12 km/h

Loses Schüttgewicht: 1,00 bis 1,04 kg/l

Schieber- stellung																
		30					32					36				
		km/h			km/h			km/h			km/h			km/h		
I	II	8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
12		185	148	123	173	138	115	154	123	103						
14		215	172	144	202	161	135	179	144	120						
16		246	197	164	231	185	154	205	164	137						
18		277	221	185	259	208	173	231	185	154						
20	10	308	246	205	288	231	192	256	205	171						
22	11	338	271	226	317	254	211	282	226	188						
24	12	369	295	246	346	277	231	308	246	205						
26	13	400	320	267	375	300	250	333	267	222						
28	14	431	344	287	404	323	269	359	287	239						
30	15	461	369	308	432	346	288	384	308	256						
32	16	492	394	328	461	369	308	410	328	273						
34	17	523	418	349	490	392	327	436	349	290						
36	18	554	443	369	519	415	346	461	369	308						
38	19	584	467	390	548	438	365	487	390	325						
40	20	615	492	410	577	461	384	513	410	342						
42	21	646	517	431	605	484	404	538	431	359						
44	22	677	541	451	634	507	423	564	451	376						
46	23	707	566	472	663	531	442	589	472	393						
48	24	738	591	492	692	554	461	615	492	410						
50	25	769	615	513	721	577	481	641	513	427						
52	26	800	640	533	750	600	500	666	533	444						
54	27	830	664	554	778	623	519	692	554	461						
56	28	861	689	574	807	646	538	718	574	478						
58	29	892	714	595	836	669	557	743	595	496						
60	30	923	738	615	865	692	577	769	615	513						
62	31	953	763	636	894	715	596	795	636	530						
64	32	984	787	656	923	738	615	820	656	547						
66	33	1015	812	677	951	761	634	846	677	564						
68	34	1046	837	697	980	784	654	871	697	581						
70	35	1076	861	718	1009	807	673	897	718	598						

Mit Bodenradantrieb gelten die Schieberstellungen bei 12 km/h

LS_104c.xls